ANALYTICA CHIMICA ACTA, VOL. 214 (1988)

AUTHOR INDEX

Adeeyinwo, C.E.
— and Tyson, J.F.
Flow-injection techniques for the removal of stable-compound interferences in flame atomic absorption spectrometry of calcium 339

Akiba, M.
— and Motomizu, S.
Flow-injection spectrophotometric determination of glucose in blood plasma with Bindschedler's green leuco base as color reagent 455

Alarcón, O.M., see Burguera, M. 421

Almuaibed, A.M.
— and Townshend, A.
Enzymatic methods for the determination of ethanol based on linear and cyclic flow-injection systems 161

Aoyagi, M.
—, Yasumasa, Y. and Nishida, A.
Rapid spectrophotometric determination of total phosphorus in industrial wastewaters by flow injection analysis including a capillary digestor 229

Arakawa, S., see Satoh, I. 415

Asakura, K., see Wada, H. 439

Balconi, M.L.
—, Sigon, F., Ferraroli, R. and Realini, F.
Applications of flow injection analysis in a power plant determination of pH, ammonia and hydrazine in an AVT-conditioned water steam cycle 367

Bergamin, F°, H.
—, Krug, F.J., Reis, B.F., Nobrega, J.A., Mesquita, M. and Souza, I.G.
On-line electrolytic dissolution of alloys in flow injection analysis. Part 2. Spectrophotometric determination of molybdenum in steels 397

Bos, M., see van Nugteren-Osinga, I.C. 77

Brodowski, M., see Schulze, G. 121

Burguera, J.L.
— and Burguera, M.
Determination of sulphur dioxide in young white wines by flow injection with chemiluminescence detection 429

Burguera, J.L., see Burguera, M. 421

Burguera, M., see Burguera, J.L. 429

Burguera, M.
—, Burguera, J.L. and Alarcón, O.M.
Determination of zinc and cadmium in small amounts of biological tissues by microwave-assisted digestion and flow injection atomic absorption spectrometry 421

Bysouth, S.R.
—, Tyson, J.F. and Stockwell, P.B.
Lead preconcentration with flow injection for flame atomic absorption spectrometry 329

Cañete, F.
—, Ríos, A., Luque de Castro, M.D. and Valcárcel, M.
Simultaneous determination of phenolic compounds in water by normal and derivative flow injection/cyclic voltammetry 375

Canham, J.S.
— and Pacey, G.E.
Flow-injection systems for sample introduction in mass spectrometry 385

Cardwell, T.J.
—, Cattrall, R.W., Hauser, P.C. and Hamilton, I.C.
A multi-ion sensor cell and data-acquisition system for flow injection analysis 359

Cardwell, T.J.
—, Cattrall, R.W., Mitri, M. and Hamilton, I.C.
Flow-injection spectrophotometric determination of fluoride by using the zirconium/alizarin red S complex 433

Cattrall, R.W., see Cardwell, T.J. 359,433

Christian, G.D., see Whitman, D.A., 197

Clinch, J.R.
—, Worsfold, P.J. and Sweeting, F.W.
An automated spectrophotometric field monitor for water quality parameters. Determination of ammonia 401

Dasgupta, P.K., see Sweileh, J.A. 107
Deguchi, T., see Tanaka, A. 259

Elsholz, O., see Schulze, G. 121

Fang, Z.,
— Zhu, Z., Zhang, S., Xu, S., Guo, L. and Sun, L.
On-line separation and preconcentration in flow injection analysis 41
Ferraroli, R., see Balconi, M.L. 367
Frenzel, W., see Schulze, G. 121

Gluck, S.J.
Determination of octanol/water partition coefficients by flow injection analysis 315
Guo, L., see Fang, Z. 41

Halsall, H.B., see Tang, H.T. 187
Hamilton, I.C., see Cardwell, T.J. 359,433
Hansen, E.H., see Jeppesen, M.T. 147
Hansen, E.H., see Ruzicka, J. 1
Hauser, P.C., see Cardwell, T.J. 359
Heineman, W.R., see Tang, H.T. 187

Imato, T., see Ishibashi, N. 349
Ishibashi, N.
—, Imato, T., Ohura, H. and Yamasaki, S.
Potentiometric flow-injection determination of trace chlorine based on its redox reaction with an iron(III)/iron(II) buffer 349
Ishii, T., see Satoh, I. 409

Jacintho, A.O., see Mattos, I.L. 247
Jacintho, A.O., see Pessenda, L.C.R. 239
Jeppesen, M.T.
— and Hansen, E.H.
Determination of creatinine in undiluted blood serum by enzymatic flow injection analysis with optosensing 147

Karlberg, B.
The theoretical and practical development of flow injection extraction 29
Korenaga, T.
— and Stewart, K.K.
Seeking high-sensitivity flow injection analysis 87
Korenaga, T.,
—, Shen, F.-H., Yoshida, H., Takahashi, T. and Stewart, K.K.
Study of sample dispersion in flow injection analysis 97
Krug, F.J., see Bergamin, F°, H. 397

Lázaro, F.
—, Luque de Castro, M.D. and Valcárcel, M.
Integrated reaction/spectrophotometric detection in unsegmented flow systems 217
Linden, W.E., van der, see van der Linden, W.E. 77
Liu, C.Y., see Schulze, G. 121
Lunte, C.E., see Tang, H.T. 187
Luque de Castro, M.D., see Cañete, F. 375
Luque de Castro, M.D., see Lázaro, F. 217

Marsden, A.B., see Tyson, J.F. 447
Mashiba, K., see Tanaka, A. 259
Masoom, M.
Immobilized enzymes in clinical and biochemical analysis. Applications to the simultaneous determination of acetylcholine and choline and to determination of lipids 173
Mattos, I.L.
—, Zagatto, E.A.G. and Jacintho, A.O.
Spectrophotometric flow-injection determination of sucrose and total reducing sugar in sugar-cane juice and molasses 247
McGowan, K.A.
— and Pacey, G.E.
Initial studies of large-bore flow-injection systems 391
Melcher, R.G.
Flow-injection determination of membrane-selected organic compounds 299
Mesquita, M., see Bergamin, F°, H. 397
Mitri, M., see Cardwell, T.J. 433
Möller, J., see Schulze, G. 121
Motomizu, S., see Akiba, M. 455
Motomizu, S.
— and Onoda, M.
Flow-injection determination of sodium and potassium by separation on a silica column and extraction-spectrophotometry with benzo-18-crown-6 and tetrabromophenolphthalein ethyl ester 289

Nakagawa, G., see Wada, H. 439
Nielsen, J., see Nikolajsen, K. 137
Nikolajsen, K.
—, Nielsen, J. and Villadsen, J.
In-line flow injection analysis for monitoring lactic acid fermentations 137
Nishida, A., see Aoyagi, M. 229
Nobrega, J.A., see Bergamin, F°, H. 397
Nugteren-Osinga, I.C., van, see van Nugteren-Osinga, I.C. 77

Ohno, N., see Sakai, T. 271
Ohura, H., see Ishibashi, N. 349
Okamoto, A., see Satoh, I. 415
Onoda, M., see Motomizu, S. 289

Pacey, G.E., see Canham, J.S. 385
Pacey, G.E., see McGowan, K.A. 391
Pessenda, L.C.R.
—, Jacintho, A.O. and Zagatto, E.A.G.
Catalytic determination of molybdenum in plants by flow-injection spectrophotometry with ion-exchange separation 239

Qi, W., see Wu, X. 279

Realini, F., see Balconi, M.L. 367
Reis, B.F., see Bergamin, F°, H. 397
Ríos, A., see Cañete, F. 375
Ruzicka, J.
— and Hansen, E.H.
Homogeneous and heterogeneous systems. Flow injection analysis today and tomorrow 1
Ruzicka, J., see Whitman, D.A. 197

Sakai, T.
— and Ohno, N.
Flow-injection spectrophotometric determination of palladium in catalysts and dental alloys with 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino) aniline 271
Satoh, I.
— and Ishii, T.
Flow-injection determination of inorganic pyrophosphate with use of an enzyme thermistor containing immobilized inorganic pyrophosphatase 439
Satoh, I.
—, Arakawa, S. and Okamoto, A.
Flow-injection determination of glutathione with amperometric monitoring of the enzymatic reaction 415
Schulze, G.
—, Liu, C.Y., Brodowski, M., Elsholz, O., Frenzel, W. and Möller, J.
Different approaches to the determination of ammonium ions at low levels by flow injection analysis 121
Shen, F.-H., see Korenaga, T. 97
Sigon, F., see Balconi, M.L. 367
Souza, I.G., see Bergamin, F°, H. 397
Stewart, K.K., see Korenaga, T. 87,97
Stewart, K.K., see Verma, K.K. 207
Stockwell, P.B., see Bysouth, S.R. 329
Sun, L., see Fang, Z. 41
Sweeting, F.W., see Clinch, J.R. 401
Sweileh, J.A.
— and Dasgupta, P.K.
Applications of in situ detection with an automated micro batch analyzer 107

Takahashi, T., see Korenaga, T. 97
Tanaka, A.
—, Mashiba, K. and Deguchi, T.
Simultaneous determination of cyanide and thiocyanate by the pyridine/barbituric acid method after diffusion through a microporous membrane 259
Tang, H.T.
—, Lunte, C.E., Halsall, H.B. and Heineman, W.R.
p-Aminophenyl phosphate: an improved substrate for electrochemical enzyme immunoassay 187
Townshend, A., see Almuaibed, A.M. 161
Tyson, J.F., see Adeeyinwo, C.E. 339
Tyson, J.F., see Bysouth, S.R. 329
Tyson, J.F.
— and Marsden, A.B.
Factors affecting the detection limit of a flow-injection spectrophotometric procedure 447
Tyson, J.F.
Atomic spectrometry and flow injection analysis: a synergic combination 57

Valcárcel, M., see Cañete, F. 375
Valcárcel, M., see Lázaro, F. 217
Van der Linden, W.E., see van Nugteren-Osinga, I.C. 77

Van Nugteren-Osinga, I.C.
—, Bos, M. and van der Linden, W.E.
Impulse/response functions of individual components of flow-injection manifolds 77
Venkata Rattaiah, G., see Wada, H. 439
Verma, K.K.
—and Stewart, K.K.
Spectrophotometric determination of aromatic primary amines and nitrite by flow injection analysis 207
Villadsen, J., see Nikolajsen, K. 137

Wada, H.
—, Asakura, K., Venkata Rattaiah, G. and Nakagawa, G.
Preconcentration and determination of calcium and magnesium in brine with flow-injection systems 439
Whitman, D.A.
—, Christian, G.D. and Ruzicka, J.
Novel use of doublet peaks in flow injection analysis. Simultaneous spectrophotometric determination of nickel(II) and iron(II) 197
Worsfold, P.J., see Clinch, J.R. 401
Wu, X.
— and Qi, W.
Spectrophotometric determination of trace uranium in geological samples by flow injection analysis with on-line levextrel resin separation and preconcentration 279

Xu, S., see Fang, Z. 41

Yamasaki, S., see Ishibashi, N. 349
Yasumasa, Y., see Aoyagi, M. 229
Yoshida, H., see Korenaga, T. 97

Zagatto, E.A.G., see Mattos, I.L. 247
Zagatto, E.A.G., see Pessenda, L.C.R. 239
Zhang, S., see Fang, Z. 41
Zhu, Z., see Fang, Z. 41